

COMMONWEALTH OF VIRGINIA



Virginia Industrialized Building Safety Regulations "IBSR"

(2003 Edition)

Effective November 16, 2005

**Virginia Department of Housing and Community Development
Division of**

PREFACE

Introduction

The Virginia Industrialized Building Safety Regulations (IBSR) are state regulations promulgated by the Virginia Board of Housing and Community Development for the purpose of establishing statewide standards for the construction and installation of industrialized buildings and the regulation of the producers of such buildings. Industrialized buildings are generally those buildings which are manufactured off-site and transported to the point of use for assembly and installation.

The technical provisions of the IBSR are based on nationally recognized model codes published by the International Code Council, Inc. and are consistent with the requirements for the construction of buildings on-site established by the Virginia Uniform Statewide Building Code. The Department of Housing and Community Development, through the State Building Code Administrative Office, administers the industrialized building program and the IBSR establishes requirements for registration seals for the buildings and the use of third-party compliance assurance agencies involved in the design and construction of the industrialized buildings.

Arrangement

The IBSR are part of the Virginia Administrative Code (VAC), the official compilation of state regulations published under the authority and guidance of the Virginia Code Commission. In addition to being available in this pamphlet form from the Department of Housing and Community Development, the regulation may be accessed through the website of the Virginia Code Commission or by subscription to the VAC.

In keeping with the designations of the IBSR used previously, since the 2003 editions of the International Codes are incorporated by reference into this version of the IBSR, it is known as the 2003 edition of the IBSR.

Technical Assistance

Local building departments may be contacted for further information. Staff of the Department's State Building Code Administrative Office may also be contacted at (804) 371-7160.

13 VAC 5-91-10. Definitions.

The following words and terms when used in this chapter shall have the following meaning unless the context clearly indicates otherwise.

“Administrator” means the Director of DHCD or his designee.

“Approved” as applied to a material, device, method of construction, registered building, or as otherwise used in this chapter means approved by the administrator.

“Building official” means the officer or other designated authority charged with the administration and enforcement of the USBC, or duly authorized representative.

“Compliance assurance agency” means an architect or professional engineer registered in Virginia, or an organization, determined by DHCD to be specially qualified by reason of facilities, personnel, experience, and demonstrated reliability, to investigate, test and evaluate industrialized buildings; to list such buildings complying with standards at least equal to this chapter; to provide adequate follow-up services at the point of manufacture to ensure that production units are in full compliance; and to provide a label as evidence of compliance on each registered industrialized building.

“DHCD” means the Virginia Department of Housing and Community Development.

“ICC” means the International Code Council, Inc.

“Industrialized building” means a combination of one or more sections or modules, subject to state regulations and including the necessary electrical, plumbing, heating, ventilating, and other service systems, manufactured off-site and transported to the point of use for installation or erection, with or without other specified components, to comprise a finished building. Manufactured homes defined in § 36-85.3 of the Code of Virginia and certified under the provisions of the National Manufactured Housing Construction and Safety Standards Act (42 USC § 5401 et seq.) shall not be considered industrialized buildings for the purpose of this law.

“Model” means a specific design of an industrialized building designated by the producer of the building including production buildings with variations and options that do not affect compliance with the standards governing structural, plumbing, mechanical, or electrical systems or any other items governed by this chapter.

“Registered” means an industrialized building which displays a registration seal issued by DHCD in

accordance with this chapter.

“SBCAO” means the State Building Code Administrative Office within DHCD.

“This law” means the Virginia Industrialized Building Safety Law as embraced in Chapter 4 (§ 36-70 et seq.) of Title 36 of the Code of Virginia.

“State Review Board” means the Virginia State Building Code Technical Review Board as established by § 36-108 of the Code of Virginia.

“USBC” means the Virginia Uniform Statewide Building Code (13 VAC 5-63).

13 VAC 5-91-20. Application and compliance.

A. This chapter shall apply to industrialized buildings.

B. No person, firm or corporation shall offer for sale or rental, or sell or rent, any industrialized building produced after the effective date of any provision of this chapter unless it conforms with such provision.

C. Industrialized buildings subject to any edition of this chapter when constructed shall be maintained in compliance with the applicable edition by the owners or occupants, or both.

D. Industrialized buildings constructed prior to January 1, 1972, shall be subject to the pertinent provisions of the USBC when relocated.

13 VAC 5-91-30. Purpose.

The purpose of this chapter is to ensure safety to life, health, and property through compliance with uniform statewide construction standards for industrialized buildings.

13 VAC 5-91-40. Inspection and enforcement.

A. The SBCAO is designated as the administrator's representative for the enforcement of this chapter and shall act as the building official for registered industrialized buildings. It shall have authority to make such inspections and to take such other actions as are required to enforce this chapter.

B. The SBCAO will maintain a list of approved compliance assurance agencies. Each manufacturer producing registered industrialized buildings will contract with one or more compliance assurance agencies for required evaluation, monitoring and inspection services. The contract will delineate the services to be provided by the compliance assurance agency. The compliance

assurance agency will notify the SBCAO within 30 days of signing a new contract or terminating an existing contract with any manufacturer.

13 VAC 5-91-50. Factory and field inspections.

A. The SBCAO shall conduct such inspections of factories producing industrialized buildings as may be necessary during reasonable hours to determine whether the designated compliance assurance agency is performing its evaluation and compliance assurance functions in a satisfactory manner.

B. The SBCAO may also make inspections during reasonable hours to determine whether unoccupied industrialized buildings are in compliance with this chapter. Such inspections may include, but are not limited to, industrialized buildings on dealer lots or industrialized buildings that are otherwise offered for sale to the public. Occupied industrialized buildings may be inspected by the SBCAO at the request of the owners or occupants.

13 VAC 5-91-60. Violations.

Where the administrator finds any violation of the provisions of this chapter, a notice of violation shall be issued. This notice of violation shall order the party responsible to bring the unit into compliance within a reasonable time. The administrator may request assistance from the building official for enforcement of this section.

13 VAC 5-91-70. Appeals.

A. Appeals from building officials, compliance assurance agencies or manufacturers of industrialized buildings concerning DHCD's application of this chapter shall be submitted to the State Review Board within 21 calendar days of receipt of DHCD's decision. A copy of the decision of DHCD to be appealed shall be submitted with the application for appeal. Failure to submit an application for appeal within the time limit established by this section shall constitute acceptance of DHCD's decision.

B. Procedures of the State Review Board are in accordance with Article 2 (§ 36-108 et seq.) of Chapter 6 of Title 36 of the Code of Virginia. Decisions of the State Review Board shall be final if no appeal is made therefrom.

13 VAC 5-91-80. Limitation of manufacturer's liability.

The manufacturer of s registered industrialized building shall not be required to remedy violations caused by on-site work by others not under his control or violations involving components and materials furnished by others

and not included with the registered industrialized building.

13 VAC 5-91-90. Penalty for violation.

In accordance with § 36-93 of the Code of Virginia, any person, firm or corporation violating any provisions of this chapter shall be considered guilty of a Class 1 misdemeanor and, upon conviction, shall be fined not more than \$1,000.

13 VAC 5-91-100. Responsibility of building officials.

Every building official is authorized to and shall enforce the provisions of this chapter within the limits of his jurisdiction. The building official shall not permit the use of any industrialized building that does not comply with this chapter.

13 VAC 5-91-110. Registered industrialized buildings.

Industrialized buildings that are registered shall be accepted in all localities as meeting the requirements of this law. Notwithstanding this provision, building officials are authorized to carry out the following functions that apply to registered industrialized buildings provided such functions do not involve disassembly of the registered building or change of design or result in the imposition of more stringent conditions than those required by the compliance assurance agency or by this chapter.

1. Building officials shall verify that the registered industrialized building has not been damaged in transit to a degree that would render it unsafe. Where indicated, this may include tests for tightness of plumbing systems and gas piping and tests for damaged or loose wires, or both, in the electrical system.
2. Building officials shall verify that supplemental components required by the label or by this chapter are properly provided.
3. Building officials shall verify that the instructions of the label for installation and erection are observed.
4. Building officials shall verify that any special conditions or limitations of use that are stipulated by the label and authorized by this chapter are observed.
5. Building officials may require submission and approval of plans and specifications for items not included or specified in the manufacturer's installation instructions such as the supporting structures, foundations and anchorage and all

other components necessary to form the completed building. They may require such architectural and engineering services as may be specifically authorized by this chapter to assure that the supporting structures, foundations and anchorage and other components necessary to form the completed building are designed in accordance with this chapter.

6. Building officials shall enforce applicable requirements of this chapter and the USBC for alterations and additions to the units or to the buildings. As an aid, they may require submission of plans and specifications of the model of the unit. Such plans and specifications may be furnished on approved microfilm.
7. Building officials shall enforce the requirements of the USBC applicable to utility connections, site preparation, building permits, certificates of use and occupancy and all other applicable requirements of the USBC, except those governing the design and construction of the registered building.
8. Building officials shall verify that the building displays the required state registration seal and the proper label of the compliance assurance agency.

13 VAC 5-91-120. Unregistered industrialized buildings.

A. The building official shall determine whether any unregistered industrialized building complies with this chapter and shall require any noncomplying unregistered building to be brought into compliance with this chapter. The building official shall enforce all applicable requirements of this chapter including those relating to the sale, rental and disposition of noncomplying buildings. The building official may require submission of full plans and specifications for each building. Concealed parts of the building may be exposed to the extent necessary to permit inspection to determine compliance with the applicable requirements. The building official may also accept reports of inspections and tests from individuals or agencies deemed acceptable to the building official.

B. Unregistered industrialized buildings offered for sale in this Commonwealth shall be marked by a warning sign to prospective purchasers that the building is not registered in accordance with this chapter and must be inspected and approved by the building official. The sign shall be of a size and form approved by the administrator and shall be conspicuously posted on the exterior of the unit near the main entrance door.

13 VAC 5-91-130. Disposition of noncomplying building.

When a building is found to be in violation of this chapter, the building official may require the violations to be corrected before occupancy of the building is permitted.

13 VAC 5-91-140. Report to the SBCAO.

If the building is moved from the jurisdiction before the violations have been corrected, the building official shall make a prompt report of the circumstances to the SBCAO. The report shall include the following:

1. A list of the uncorrected violations.
2. All information contained on the label pertinent to the identification of the building, the manufacturer and the compliance assurance agency.
3. The number of the Virginia registration seal.
4. The new destination of the building, if known.
5. The party responsible for moving the building.

13 VAC 5-91-150. When modification may be granted.

A. The administrator shall have the power upon request in specific cases to authorize modification of this chapter so as to permit certain specified alternatives where the objectives of this law can still be fulfilled. Such request shall be in writing and shall be accompanied by the plans, specifications and other information necessary for an adequate evaluation of the modification requested.

B. Before a modification is authorized, the building official may be afforded an opportunity to present his views and recommendations.

13 VAC 5-91-160. Use of model codes and standards.

A. Industrialized buildings produced after November 16, 2005 shall be reasonably safe for the users and shall provide reasonable protection to the public against hazards to life, health and property. Compliance with all applicable requirements of the following codes and standards, subject to the specified time limitations, shall be acceptable evidence of compliance with this provision:

The following codes and standards may be used until February 16, 2006:

1. ICC International Building Code – 2000 Edition

2. ICC International Plumbing Code - 2000 Edition
3. ICC International Mechanical Code - 2000 Edition
4. National Fire Protection Association Standard Number 70 (National Electrical Code) – 1999 Edition
5. ICC International Residential Code - 2000 Edition

B. The following documents are adopted and incorporated by reference to be an enforceable part of this chapter:

1. ICC International Building Code - 2003 Edition
2. ICC International Plumbing Code - 2003 Edition
3. ICC International Mechanical Code - 2003 Edition
4. National Electrical Code - 2002 Edition
5. ICC International Residential Code - 2003 Edition

The codes and standards referenced above may be procured from:

International Code Council, Inc.
5203 Leesburg Pike, Suite 600
Falls Church, VA 22041

and plans review, compliance assurance inspections, and their supervisors comply with the requirements of the American Society for Testing and Material (ASTM) Standard Number E-541-01 – Standard Specification for Agencies Engaged in System Analysis and Compliance Assurance for Manufactured Building.

4. Summary of experience within the organization.
5. General description of procedures and facilities to be used in proposed services, including evaluation of the model, factory follow-up, quality assurance, labeling of production buildings and specific information to be furnished on or with labels.
6. Procedures to deal with any defective buildings resulting from oversight.
7. Acceptance of these services by independent accrediting organizations and by other jurisdictions.
8. Proof of independence and absence of conflict of interest.

The ASTM Standard Number E-541-01 may be procured from:

American Society for Testing and Materials
 100 Barr Harbor Drive
 West Conshohocken, PA 19428-2959

13 VAC 5-91-210. Compliance assurance agency certification label.

Every registered industrialized building shall be marked with a label supplied by the compliance assurance agency that includes the name and address of the compliance assurance agency and the certification label number.

13 VAC 5-91-220. Mounting of label.

To the extent practicable, the label shall be installed so that it cannot be removed without destroying it. The label shall be applied in the vicinity of the electrical distribution panel or in another location that is readily accessible for inspection. When a building is comprised of more than one section or module, the required label may be furnished as a single label for the entire building provided each section or module is marked by the compliance assurance agency in a clearly identifiable manner provided with or on the label.

13 VAC 5-91-240. Label control.

The labels shall be under direct control of the compliance assurance agency until applied by the manufacturer to buildings that comply fully with this chapter. The manufacturer shall place its order for labels with the compliance assurance agency. The manufacturer is not permitted to acquire labels from any other source. Each compliance assurance agency shall keep a list of the serial numbers of labels issued to each manufacturer's plant in such manner that a copy of the record can be submitted to the administrator upon request.

13 VAC 5-91-245. Manufacturer's data plate.

A. All of the following information shall be placed on a permanent manufacturer's data plate in the vicinity of the electrical distribution panel or in some other location that is readily accessible for inspection. The compliance assurance agency shall approve the form and location of the data plate and shall insure that the data plate is complete:

1. Manufacturer's name and address.
2. Compliance assurance agency certification number.
3. Serial number of each module of the building.
4. Serial number of the Virginia registration seal.
5. Date of manufacture of the building.
6. List of codes and standards under which the building was evaluated and constructed and the type of construction and occupancy classification under those codes and standards.
7. Design roof load, design floor live load and design wind load.
8. Seismic design zone number.
9. Thermal transmittance values or thermal resistance ("R") values.
10. Special conditions or limitations concerning the use of the building under the codes and standards applicable to the building; however, a list of such conditions or limitations that are furnished separately with the building shall satisfy this requirement.
11. Special instructions for handling, installation and erection of the building, however, a list of such instructions that are furnished separately with the building shall satisfy this requirement.

- 12. Designation of electrical service ratings, directions for water and drain connections and, where applicable, identification of permissible type of gas for appliances.
- 13. Name of manufacturer and model designation of major factory installed appliances.

B. The manufacturer shall maintain copies of the data plate and reports of inspection, tests and any corrective action taken for a minimum period of 10 years from the date of manufacture of the building.

13 VAC 5-91-250. Industrialized buildings eligible for registration.

Any industrialized building must meet all of the following requirements to be registered and eligible for a Virginia registration seal:

- 1. The design of the building has been found by a compliance assurance agency to be in full compliance with this chapter. Approved designs shall be evidenced by the stamp and date of approval on each design sheet by the compliance assurance agency.
- 2. The compliance assurance agency has conducted any necessary testing and evaluation of the building and its component parts.
- 3. The compliance assurance agency has provided the required inspections and other quality assurance follow-up services at the point of manufacture to assure the building complies with this chapter.
- 4. The building contains the appropriate evidence of such compliance through a label permanently affixed by the compliance assurance agency.

13 VAC 5-91-260. Registration seal for industrialized buildings.

A. Registered industrialized buildings shall be marked with an approved registration seal issued by the SBCAO. The seal shall be applied by the manufacturer to a registered industrialized building intended for sale or use in Virginia prior to the shipment of the building from the place of manufacture.

B. Registered industrialized buildings shall bear a registration seal for each dwelling unit in residential occupancies. For nonresidential occupancies, a registration seal is required for each registered building.

C. Approved registration seals may be purchased from the SBCAO in advance of use. The fee for each registration seal shall be \$75. Checks shall be made payable to "Treasurer of Virginia." Payment for the seals must be received by the SBCAO before the seals can be sent to the user.

D. To the extent practicable, the registration seal shall be installed so that it cannot be removed without destroying it. It shall be installed near the label applied by the compliance assurance agency.

E. The compliance assurance agency or the manufacturer under the supervision of the compliance assurance agency shall maintain permanent records of the disposition of all Virginia registration seals obtained by the compliance assurance agency or manufacturer.

13 VAC 5-91-270. Manufacturer's installation instructions.

A. The manufacturer of each industrialized building shall provide specifications or instructions, or both, with each building for handling, installing or erecting the building. Such instructions may be included as part of the label from the compliance assurance agency or may be furnished separately by the manufacturer of the building. The manufacturer shall not be required to provide the foundation and anchoring equipment for the industrialized building.

B. Persons or firms installing or erecting registered industrialized buildings shall install or erect the building in accordance with the manufacturer's instructions.